


PT. INDO UTAMA SERVICES

Your Reliable Innovate Engineering Company

COMPANY PROFILE



Business Information

1. Business Name : PT. Indo Utama Services

Business Address : Sentral Senayan II Lt. 16

Jl. Asia Afrika No. 8 Jakarta Pusat 10270

Email : www.indoutama.com, indoutama@indoutama.com

Tel : +6221-2965-5897 or Fax : +6221-2924-1980

BRANCH OFFICE :

2. Business Name : PT. Indo Utama Services

Business Address : Jl. Pelajar Pejuang 45 No. 80

Bandung 40263

Email : www.indoutama.com, indoutama@indoutama.com

Tel : +6222-8734-6322 or Fax : +6222-7321-330

3. Business Name : PT. Indo Utama Services

Business Address : Jl. Jendral Sudirman Blok. B No. 18

Tangerang Tengah, Pekanbaru 28282

Email : www.indoutama.com, indoutama@indoutama.com

Mobile : +6281-1225-5070

LEGAL DOCUMENTS



Akta

No : 02.-
Date : 7 October 2011
Notaris : Ine Agustianingsih, SH.
Address : Jalan Laswi No. 42 RT. 004 RW. 004
Kelurahan kacapiring Kecamatan Batununggal

Akta Perubahan I

No : 58.-
Date : 30 April 2014
Notaris : Irma Bonita, SH.
Address : Jl. Suryopranoto No. 11 C, Jakarta Pusat

Akta Perubahan II

No : 13.-
Date : 12 Februari 2016
Notaris : Ety Nurhayati. SH, MKn.
Address : Jl. Pelajar Pejuang 45 No. 80 Bandung

Akta Perubahan III

No : 02.-
Date : 05 Oktober 2016
Notaris : Ety Nurhayati. SH, MKn.
Address : Jl. Pelajar Pejuang 45 No. 80 Bandung

Akta Perubahan IV

No : 15.-
Date : 23 Desember 2016
Notaris : Ety Nurhayati. SH, MKn.
Address : Jl. Pelajar Pejuang 45 No. 80 Bandung

Pengesahan Menteri Hukum dan Ham

No : AHU-01809.40.21.2014
Date : 08 Mei 2014

NPWP

Name : PT. INDO UTAMA SERVICES
No : 31.543.344.1.424.000
Address : Jl. Pelajar Pejuang 45 No. 80
Turangga Lengkong Kota Bandung
Jawa Barat

Registered : 7 June 2012

Surat Keterangan Terdaftar

No : S- 11746KT/WPJ.09/KP.0403/2016
Registered : 7 June 2012

Surat Pengukuhan Pengusaha Kena Pajak

No : PEM-05133/WPJ.09/KP.0403/2012
Registered : 7 June 2012

Domicili

No : 0015/DP/TRG/X/2017
Registered : 28 Oktober 2016

SIUP

No : 0202/IUP-UB/XII/2016/BPPT
Registered : 23 Desember 2016

TDP

No : 101114618293
Registered : 28 September 2012

IG / ITU

No : 0272/IG/XII/2016/BPPT
Registered : 16 Desember 2016

API

No : 102000268-P
Registered : 21 Juli 2016

General Business Activities



PT. Indo Utama Services is has been established as a engineering and services company di Indonesia. Our business model is based on the accomplishment of engineering and services markets in Indonesia.

Based on the decision of the company to diversify our services, we have now established this corporation in Bandung, Pekanbaru and Surabaya. The revenues of our company are expected to be nearly US\$9,0000,000 per year.

Company Strategy



Purpose to be a leader in the industry market by providing enchanced services, relationship and profitability.



Vision :

To be the reliable innovate engineering company with world class filter technologies to serve our partner by provide quality services that exceeds the expectations of our esteemed customer.

Mission:

- ♣ To protect people,industry process,environment,and investment,
- ♣ To aim customer's satisfaction
- ♣ To be expert and proffessional in engineering design,field services and cost economic.
- ♣ To support end user with advance technology in achievement plant safety, reliability, environmentally friendly, cost savings and easy mode operation

HSE POLICY



Secure the health and safety of our employees, contractors and the public in addition to the safety of plant and assets.

No part of our operations is so important or of such high priority that it cannot be performed with safe, efficient work methods and equipment.

Every member of our work force will follow procedures consistent with applicable safety standards and constantly maintain their own personal obligation to observe safe operating procedures.

OUR

TECHNOLOGIES

GAS PHASE AIR FILTRATION

THE GridBLOK MEDIA TECHNOLOGY INSIDE THE PuraGRID FILTER



NEW! PuraGRID™ FILTER
WITH THE GridBLOK™ TECHNOLOGY



MAGNIFIED VIEW OF THE GridBLOK CELLULAR STRUCTURE




ONGUARD 3000 (OG3) ATMOSPHERIC CORROSION MONITOR:

- Real-time reactivity data can either be logged by an internal data logger or transmitted directly to the distributed control system via a 4-20 mA output signal.
- Records or transmits temperature and relative humidity readings.



PURAFIL® SIDE ACCESS SYSTEM (PSA)
Modular system design features insulated double-wall casing and filters moderate levels of acid gases in less polluted areas of the plant. Can also be used as a filter in a recirculation circuit.



AIR FILTER-UIIFILTER

FILTERS

1/2", 1", 2" thicknesses



Disposables PF

- Fiberglass and Synthetic media
- Pinch frame construction with scrim retainer
- 65 - 85% arrestance

PF Triple-Plex

- Industrial Grade fiberglass media
- Die cut beverage board frame
- 75 - 80% arrestance


www.uilnet



Fiber Medias

- Select from three grades
- 1", 2", 4" thicknesses
- 70 - 90% arrestance


SPECIALTY MEDIAS AND FILTERS

Select from a variety of medias and filters for specialized equipment or applications.

- Lint and ink mist collection
- Special application medias



www.uilnettofilter.com



**UIL NETTO FILTERS
PRODUCTS SELECTION**

SCREEN WATER INTAKE



**Solutions for open water Intakes— the customized way !
Main fields of application for water screening technology**

Cooling water intakes in Power Stations

Protection of cooling water pumps, condensers and heat exchangers from debris and floating solids



Process water intakes in Industrial / Chemical Plants

Mechanical cleaning of process water and protection of the downstream equipment



Water intakes in Desalination, Drinking Water and Irrigation Plants

First step in potable water treatment
Removal of solid debris before the subsequent steps of treatment



GEIGER Johnson screens™ PASSAVANT

MARINE GROWTH ANTI-FOULING SYSTEM



Clearly the best protection
for your investment

THE PROBLEM OF MARINE GROWTH



ADVANTAGES OF THE CUPRION SYSTEM

- 100% effective against hard fouling
- No corrosion issues
- High reliability
- Long electrode life
- Low power requirement
- Minimal maintenance required
- No chemicals to handle or store
- Automatic operation
- Environmentally friendly

WATER AND WASTE WATER TREATMENT



- » Drinking water treatment
- » Industrial and process water treatment
- » Desalination of sea and brackish water
- » Water reclamation systems
- » Municipal wastewater treatment
- » Industrial wastewater treatment
- » Sludge treatment

- » Consulting
- » Planning
- » Financing
- » Design & Engineering
- » Equipment supply
- » Construction
- » Commissioning
- » Operations & Maintenance



sustainable solutions. for a better life.

Innovative rack solutions for ultrafiltration

Flexible: The more flexibility you have to configure a system, the more you can tailor it to your exact requirements. Depending on the required system size and treatment capacity, we can supply **configurations with either two or four rows of modules**. However, the design includes separate filtrate headers, so each row can still be operated as a separate filtration line. For systems containing 72 modules or more, the racks are arranged on both sides of a manifold unit. Inge® offers the option of providing the manifold unit as a T-Rack® Manifold.

Rack configurations (examples):


2-row configuration




4-row configuration



4-row configuration
on both sides of the manifold unit



Optional features: The standard version of the racks features C4-coated frame profiles. A stainless steel version is also available on request.



PLEASE CONTACT US :

PT.INDO UTAMA SERVICES

Sentral Senayan II Lt. 16

Jl. Asia Afrika No. 8 Jakarta Pusat 10270

Ph : +6221-2965-5897

Fax : +6221-2924-1980

Email : indoutama@indoutama.com

Website: www.indoutama.com